





## Lifting Hooks




### Eye Hoist Hook

Working Load Limit	For Grade 8 Chain	Dimension (mm)				Net-Weight
		Chain	mm	P1	H	
1.12	6-8	22	19	80	110	0.28
2	7/8-8	25	25	103	140.5	0.65
3.15	10.8	27.5	28	118	162	0.94
5.3	13.8	33	35	145	201	1.95
8	16.8	40	45	180	256	3.77
12.5	20.8	51	57	230	317	6.8
15	22.8	57	70	280	380	9.8
21.2	26.8	75	78	318	435	16.25
31.5	32.8	98	91	360	495.5	27.5




### Swivel Hook with Latch

Working Load Limit	For Grade 8 Chain	Dimension (mm)							Net-Weight
		Ton	Mm	A	E	B	H	K	
1.12	6-8	32	22	17	9	109	137	16	0.34
2	6/8-8	42	21.5	35	15.8	150	192	21	1.02
3.15	10-8	42.5	26	35	15.8	162.5	208.5	23	1.24
5.3	13-8	48	32.5	39	18	191	246	31	3.60
8.0	16-3	62	43	53	25	243.5	313	34	4.66
12.5	20-8	68	49.5	51	28.5	276.5	363.5	41.5	7.40
15	22-8	79	54.5	65	32	332	431	55.7	10.6
21.2	26-8	105	81	114	40	429.5	545.5	70	21.4
31.8	32-8	108	100	69	40	455.2	595	78.2	32




### Clevis Chain Sling Hook

Working Load Limit	For Grade 8 chain	Dimension (mm)				Net Weight
		Ton	mm	K	P1	
1.20	6	75	22	16	26	0.49
2.00	7-8	104	26	22.5	30	0.67
3.20	10	120	31	29	40	1.36
5.40	13	175	45	41	48	3.2
8.00	16	180	48	45	52	4.0
12.50	18-20	195	62	52	53	6.70




### Clevis Self Locking Hook

Working Load Limit	For Grade 8 Chain	Dimensions					Net-Weight
		(Tons)	mm	K	P	A	
1.20	6	95	27	8.50	14	19	0.45
2.0	7.8	98	34	9.5	19	24	0.85
3.2	10	142	44	12	24	31	1.45
5.4	13	181	53	15	27	40	2.90
8.2	16	222	60	18	36	53	5.6
12.5	18-20	239	80	25	47	55	6.50
15	22	256	82	28	48	64	16




## Self-Locking Eye Hook

Working Load Limit Ton	For Grade 8 chain Mm	Dimension (mm)						Net-Weight Kg
		K	P	A	D	T	H	
1.20	6	110	28	22	10	15	19	0.46
2.0	7.8	134	34	25	12	19	24	0.75
3.2	10	170	45	32	13	24	31	1.5
5.4	13	206	54	40	17	27	40	2.80
8.2	16	249	63	56	22	36	53	5.80
12.5	18-20	273	81	64	24	47	55	7.80
15.0	22	320	82	70	25	48	64	14.00




## Swivel Self Locking Hook

Working Load Limit Ton	For Grade 8 Chain mm	Dimension (mm)							Net-Weight Kg
		K	P	B	A	D	T	H	
1.20	6	150	28	23	33	11	15	20	0.71
2.0	7.8	185	34	27	34	13	19	24	1.30
3.2	10	217	45	35	42	16	23	30	2.10
5.4	13	268	54	41	48	21	27	40	4.60
8.7	16	330	62	54	61	22	37	49	7.10
12.5	18.20	365	108	70	72	24	45	57	12.00




### Foundry Eye Hook

Working Load Limit Ton	For Grade 8 chain Mm	Dimension (mm)						Net-Weight Kgs
		K	P	A	D	T	H	
2.0	7-8	121	62	24	12	19	27	0.7
3.2	10	150	75	32	14	24	32	1.2
5.4	13	182	90	40	18	32	38	2.3
8.0	16	215	103	49	22	47	42	4.0
12.5	19	250	111	58	26	45	57	6.0
21.6	26	300	113	66	38	69	78	17.0
32.0	32	384	145	80	48	82	101	35.0



### Grab Eye Hook

Working Load Limit Ton	For Grade 8 chain Mm	Dimension (mm)					Net-Weight Kgs
		P	A	G	K	F	
1.2	6-8	8	13	8	73	33.5	0.14
2.0	7-8	10.8	17	9.5	88	33.5	0.25
3.2	10	13	20	13	121	46	0.65
5.4	13	16.5	26	15.5	158	57.5	1.4
8.2	16	19.2	30	19	169	72	2.1
12.5	20	24	37	23	259	74	6.4
15.5	22	28	34	26	259	90	6.4



## Clevis Grab Hook

Working Load Limit (Tons)	For Grade 8 Chain (Mm)	Dimensions (mm)				Net-Weight (Kgs)
		P	A	K	F	
1.2	6	8	8	42	26	0.20
2.0	7	10.8	11	55	33.5	0.28
3.2	10	13.5	12.5	75	46	0.73
5.4	13	16.5	15	92	57.5	1.6
8.2	16	19.2	19.5	98	74	2.0
12.5	18-20	22	25	113	85	4.25